created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1370669056 CLASSIFICATION: 09 67 23 Resinous Flooring PRODUCT TYPE: Epoxy Flooring (Resinous)

PRODUCT DESCRIPTION: A complete resinous flooring HPD consisting of HT Primer, Stonkote GS4, Stonkote CE4, a Quartz broadcast, an aragonite

broadcast and stain.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

€ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No.

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

POLISHED EPOXY GLOSS [CALCIUM CARBONATE BM-3 | EYE QUARTZ BM-1 | CAN | MAM | GEN BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | MUL | SKI | EYE | AQU ACRYLIC POLYMERS NOGS WATER BM-4 BENZYL ALCOHOL BM-2 | EYE | MAM | SKI | AQU TITANIUM DIOXIDE BM-1 | CAN | END | MAM CYCLOHEXANEMETHANAMINE, 5-AMINO-1,3,3-TRIMETHYL-, REACTION PRODUCTS WITH BISPHENOL A DIGLYCIDYL ETHER HOMOPOLYMER LT-P1 | MUL 4-NONYLPHENOL (BRANCHED) LT-1 |

END | MUL | PBT | SKI | AQU | REP | MAM | EYE DIAMINOPOLYPROPYLENE GLYCOL LT-P1 | MUL | SKI | EYE | MAM ISOPHORONE DIAMINE LT-P1 | SKI | MUL | EYE | AQU TALC BM-1 | CAN | MAM PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL

ETHER BM-1 | MUL OXIRANE, MONO[(C12-13-ALKYLOXY)METHYL] DERIVS. LT-UNK TEXANOL LT-UNK | CAN | AQU 2,2,4-TRIMETHYL-

1,3-PENTANEDIOL DIISOBUTYRATE BM-2 | END | AQU SILICON DIOXIDE BM-1 | CAN | MAM ALUMINUM HYDROXIDE, DRIED BM-2 |

SKI | EYE C9-11-BRANCHED ALKYL BENZOATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 37.06 Regulatory (g/l): 37.06

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2025-01-23 PUBLISHED DATE: 2025-01-23 EXPIRY DATE: 2028-01-23

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

POLISHED EPOXY GLOSS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Partially

RESIDUALS AND IMPURITIES NOTES: Residuals are considered and included only when above the reported thresholds.

OTHER PRODUCT NOTES: N/A

CALCIUM CARBONATE ID: 471-34-1

HAZARD DATA SOURCE: Pharos	Chemical and Materials Library		HAZARD SCR	EENING DATE:	2025-01-23 11:03:27
%: 57.8500 - 57.8500	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE R	OLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand		Eye irritation category	/ 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No list	tings found on Ad	ditional Hazard Lists

SUBSTANCE NOTES: The calcium carbonate is specifically aragonite (14791-73-2). The CAS # is not in the HPD Builder Database

QUARTZ ID: 14808-60-7

OV. OA COOR DA COOR DE PILA DE DE NAME DE DE PILA DE PILA

%: 21.2200 - 21.2200 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD SCREENING DATE: 2025-01-23 11:03:27

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

BISPHENOL A EPICHLOROHYDRIN POLYMER

ID: **25068-38-6**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-01-23 11:03:28		
%: 7.4500 - 7.4500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES:		

SUBSTANCE NOTES:

ACRYLIC POLYMERS ID: 9065-11-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-01-23 11:03:28
%: 2.3600 - 2.3600 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

WATER				ID: 7732-18-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry	HAZARD S	CREENING DATE: 2025-01-23 11:03:29
%: 1.7700 - 1.7700	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Co	ommission (EU	EU - REACH Exe	mptions
			Exempted from RI safety	EACH Annex IV listing due to intrinsic
SUBSTANCE NOTES:				

HAZARD DATA SOURC	E: Pharos Chemical and Materials Librar	у	HAZARD S	CREENING DATE: 2025-01-23 11:03:	
%: 1.4800 - 1.4800	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand		Eye irritation cate	gory 2	
EYE	GHS - Australia	GHS - Australia		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicit d exposure - Category 1]	
MAM	GHS - Japan			amage to organs [Specific target oxicity following single exposure -	
SKI	GHS - New Zealand		Skin sensitisation	category 1	
AQU	GHS - Japan		H401 - Toxic to ac	quatic life [Hazardous to the aquatic te) - Category 2]	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products
OURSTANGE NOTES		

SUBSTANCE NOTES:

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials L	ibrary	HAZARD S	CREENING DATE: 2025-01-23 11:03:28
%: 1.0900 - 1.0900	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

SUBSTANCE NOTES:

CYCLOHEXANEMETHANAMINE, 5-AMINO-1,3,3-TRIMETHYL-, REACTION PRODUCTS WITH BISPHENOL A DIGLYCIDYL ETHER HOMOPOLYMER

ID: 68609-08-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-01-23 11:03:29

%: 1.0000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Haz Waters	ardous to	Class 3 - Severe	Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	International Living Future Institu	ute (ILFI)	Living Building Cl Chemicals - Effect	hallenge 4.0 - Red List of Materials & ctive April 1, 2024
			Red List substand V4.0 projects	ces to avoid in Living Building Challenge
SUBSTANCE NOTES:				

HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	brary	HAZARI	O SCREENING DATE: 2025-01-23 11:03:
%: 0.8000 - 0.8000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS	
END	TEDX - Potential Endocrine	e Disruptors	Potential Endo	crine Disruptor
END	OSPAR - Priority PBTs & E concern	EDs & equivalent	Endocrine Disr	uptor - Chemical for Priority Action
END	ChemSec - SIN List		Endocrine Disr	uption
MUL	German FEA - Substances Waters	Hazardous to	Class 2 - Hazard to Waters	
PBT	OSPAR - Priority PBTs & E concern	EDs & equivalent	PBT - Substand	ce of Possible Concern
SKI	EU - GHS (H-Statements)	Annex 6 Table 3-1		severe skin burns and eye damage [Skin ion - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements)	Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aq environment (acute) - Category 1]	
AQU	EU - GHS (H-Statements)	Annex 6 Table 3-1		xic to aquatic life with long lasting effects the aquatic environment (chronic) -
REP	EU - GHS (H-Statements)	Annex 6 Table 3-1	-	ected of damaging fertility. Suspected of unborn child [Reproductive toxicity -
MAM	GHS - Japan		•	use respiratory irritation [Specific target Single exposure - Category 3]
EYE	GHS - New Zealand		Serious eye da	mage category 1
SKI	GHS - Japan		H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]	
SKI	GHS - Australia			severe skin burns and eye damage [Skin ion - Category 1A or 1B or 1C]
AQU	GHS - New Zealand		Hazardous to the	he aquatic environment - acute category 1

AQU GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects
	[Hazardous to the aquatic environment (chronic) - Category 1]
AQU GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP GHS - Korea	H361 - Suspected of damaging fertility or the unborn child [Reproductive toxicity - Category 2]
SKI GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI GHS - New Zealand	Skin corrosion category 1B
REP GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
REP EU - Annex VI CMRs	Reproductive Toxicity - Category 2
REP GHS - Australia	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
END EU - SVHC List	Equivalent Concern - Candidate List: endocrine disrupting properties cause probable serious effects to the environment or human health
ADDITIONAL LISTINGS LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST Cradle to Cradle Products Innova (C2CPII)	tion Institute C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Core Restrictions
RESTRICTED LIST Cradle to Cradle Products Innova (C2CPII)	tion Institute C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Children's Products
RESTRICTED LIST International Living Future Institut	e (ILFI) Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
	Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST Cradle to Cradle Products Innova (C2CPII)	tion Institute C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
	Cosmetics and Personal Care Products
SUBSTANCE NOTES:	

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZARD	SCREENING DATE: 2025-01-23 11:03:3
%: 0.7900 - 0.7900	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Waters	Hazardous to	Class 3 - Severe	Hazard to Waters
SKI	GHS - New Zealand		Skin corrosion ca	ategory 1C
EYE	GHS - New Zealand		Serious eye dam	nage category 1
SKI	GHS - Australia			severe skin burns and eye damage [Skin on - Category 1A or 1B or 1C]
MAM	GHS - New Zealand		Acute dermal tox	xicity category 3
MAM	GHS - New Zealand		Acute oral toxicit	ry category 3
MAM	GHS - Australia		H304 - May be fa [Aspiration hazar	atal if swallowed and enters airways rd - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

ISOPHORONE DIAMINE	ID: 2855-13-2
--------------------	----------------------

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-23 11:03:29		
%: 0.7500 - 0.7500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
SUBSTANCE NOTES:		

TALC ID: 14807-96-6

HAZARD DATA SOURCE: P	haros Chemical and Materials Libra	ry	HAZARD S	CREENING DATE: 2025-01-23 11:03:3
%: 0.6100 - 0.6100	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN IARC		Group 2a - Agent is probably Carcinogenic to humans		
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]
MAM	GHS - Japan			amage to organs [Specific target oxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER

ID: 28064-14-4

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZARI	O SCREENING DATE: 2025-01-23 11:03:
%: 0.6000 - 0.6000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances H Waters	lazardous to	Class 2 - Hazaı	rd to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
RESTRICTED LIST	International Living Future In	stitute (ILFI)	0 0	Challenge 4.0 - Red List of Materials & fective April 1, 2024
			Red List substa	ances to avoid in Living Building Challenge

OXIRANE, MONO[(C12-13-ALKYLOXY)METHYL] DERIVS.

ID: 120547-52-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	,	HAZARE	SCREENING DATE:	2025-01-23 11:03:31
%: 0.4900 - 0.4900	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE	Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No v	varnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	V	
None found				No listings found on Ad	ditional Hazard Lists
SUBSTANCE NOTES:					

TEXANOL ID: 25265-77-4

HAZARD DATA SOURCE	Pharos Chemical and Materials Libra	iry	HAZARD S	CREENING DATE: 2025-01-23 11:03:31
%: 0.2900 - 0.2900	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		0 1	3A - Evidence of carcinogenic effects o establish MAK/BAT value
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 3

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZARD	SCREENING DATE: 2025-01-23 11:03:30
%: 0.2900 - 0.2900	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine	Disruptors	Potential Endocr	ine Disruptor
AQU	GHS - Japan			aquatic life [Hazardous to the aquatic ute) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institu	ite (GSPI)	GSPI - Six Class	ses Precautionary List
			Some Solvents	
SUBSTANCE NOTES:				

SUBSTANCE NOTES:

SILICON DIOXIDE			ID: 7	7631-86-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-01-23	11:03:3
%: 0.2900 - 0.2900	GreenScreen: BM-1	RC: None	NANO: No SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Categ	ory 1A]
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinoge Category 1A or 1B]	enicity -
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific tar organ toxicity - Single exposure - Category 3]	get
MAM	GHS - Japan		H372 - Causes damage to organs through prolongerepeated exposure [Specific target organs/systemic following repeated exposure - Category 1]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolongerepeated exposure [Specific target organ toxicity repeated exposure - Category 1]	ed or
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GS	SPI)	GSPI - Six Classes Precautionary List	
			Antimicrobials	

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-01-23 11:03:31			
%: 0.2400 - 0.2400	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - New Zealand		Skin irritation category 2		
EYE	GHS - New Zealand		Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products II (C2CPII)	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Biological and Envi	ironmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products II (C2CPII)	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Children's Products	3	
RESTRICTED LIST Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024			
			Children's Toy Prod	ducts	

C9-11-BRANCHED ALKYL BENZOATE

SUBSTANCE NOTES:

ID: **131298-44-7**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-23 11:03:31		
%: 0.2200 - 0.2200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No v	warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	V	
None found				No listings found on Additional Hazard Lists	

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Results applicable in all

CERTIFICATE URL:

ISSUE DATE: 2023-03-03 00:00:00

EXPIRY DATE:

CERTIFIER OR LAB: Berkeley

Analytical

CERTIFICATION AND COMPLIANCE NOTES: The CDPH certifications include the products for the Liquid Elements Polished system.

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: This is certification is applicable

in facilities that require VOC contents less than 100 g/L.

CERTIFICATE URL:

https://www.liquidelements.com/products/polished/

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2025-01-23 00:00:00

EXPIRY DATE:

CERTIFIER OR LAB: Stonhard

Laboratory

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The Liquid Elements Polished system contains HT Primer, Stonkote GS4, Stonkote CE4, a Quartz broadcast, a stainable aragonite broadcast and waterbased stain.

MANUFACTURER INFORMATION

MANUFACTURER: Stonhard ADDRESS: 1000 East Park Ave

Maple Shade, NJ 08052 COUNTRY: United States WEBSITE: https://www.liquidelements.com

CONTACT NAME: Mike Jewell TITLE: Executive VP of Operations

PHONE: **856-779-7500**

EMAIL: mjewell@stonhard.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

