# Safety Data Sheet

# Prepared in Accordance with HCS 29 C.F.R. 1910.1200



# 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	01250/ISO	Revision Date:	03/13/2024
	Product Name:	STONCLAD UF ISO	Supersedes Date:	01/06/2023
1.2	Relevant identified uses of the substance or mixture and uses advised against	Hardener for 2 components coatings - recommended	Industrial use. Advised against: othe	rs than
1.3	Details of the supplier of the safety	data sheet		
	Manufacturer:	Stonhard, Division of StonCor Group, I 1000 East Park Avenue Maple Shade, NJ 08052 +1 856 7797500 (US)	nc.	
	Datasheet Produced by:	ehs@stonhard.com		
1.4	Emergency telephone number:	+1 703-741-5970 - North America +1 800-424-9300 +55 11 4349 1359 - South America +52 55 8526 4930 - Central America +44 20 3885 0382 - Middle East, Eas +65 3163 8374 - Asia, South Asia, Ar		frica

# 2. Hazard Identification

## 2.1 Classification of the substance or mixture

Acute Toxicity, Inhalation, category 4 Carcinogenicity, category 2 Eye Irritation, category 2A Respiratory Sensitizer, category 1 Skin Irritation, category 2 Skin Sensitizer, category 2 STOT, repeated exposure, category 2 STOT, single exposure, category 3, RTI

## 2.2 Label elements

### Symbol(s) of Product



## Signal Word

Danger

## Named Chemicals on Label

4,4'-methylenediphenyl diisocyanate, Diphenylmethane-2,4'-diisocyanate, Diphenylmethane-diisocyanate, isomers and homologues

## HAZARD STATEMENTS

Chin Irritotion actogon ()	H315	Causes skin irritation.
Skin Irritation, category 2		
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Eye Irritation, category 2A	H319	Causes serious eye irritation.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Respiratory Sensitizer, category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT, single exposure, category 3, RTI	H335	May cause respiratory irritation.
Carcinogenicity, category 2	H351	Suspected of causing cancer.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.
PRECAUTION PHRASES		
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P285	In case of inadequate ventilation wear respiratory protection.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P308+313	IF exposed or concerned: Get medical advice/attention.
	P314	Get medical advice/attention if you feel unwell.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P341	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P342+311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

## 2.3 Other hazards

No Information

## Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# 3. Composition/Information On Ingredients

3.2 Mixtures

### Hazardous ingredients

Name According to EEC Diphenylmethane- diisocyanate, isomers and homologues	<u>EINEC No.</u> 618-498-9	<u>CAS-No.</u> 9016-87-9	<u>%</u> 50 - <75	Classifications H315-317-319-332-3 34-335-351-373	Acute Tox. 4 Inhalation, Carc. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Irrit. 2, Skin Sens. 1, STOT RE 2, STOT SE 3 RTI
4,4'-methylenediphenyl diisocyanate	202-966-0	101-68-8	25 - <50	H315-317-319-330-3 34-335-351-373	Acute Tox. 1 Inhalation, Carc. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Irrit. 2, Skin Sens. 1, STOT RE 2, STOT SE 3 RTI
Diphenylmethane-2,4'- diisocyanate	227-534-9	5873-54-1	2.5 - <10	H315-317-319-330-3 34-335-351-373	Acute Tox. 2 Inhalation, Carc. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Irrit. 2, Skin Sens. 1, STOT RE 2, STOT SE 3 RTI

CAS-No.

M-Factors

9016-87-9 101-68-8 5873-54-1

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

# 4. First-aid Measures

## 4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.
AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.
AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.
AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes and respiratory system.

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# 5. Fire-fighting Measures

# 5.1 Extinguishing Media:

# Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

# 5.2 Special hazards arising from the substance or mixture

Heating or fire can release toxic gas.

ABC powder. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Water reactive.

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. Keep the container open.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

## 7. Handling and Storage

## 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING:** Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is being used.

**PROTECTION AND HYGIENE MEASURES:** Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Keep from any possible contact with water. **STORAGE CONDITIONS:** Store in original container. Keep container tightly closed in a dry and well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

#### 7.3 Specific end use(s)

Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets.

# 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Ingredients with Occupational Exposure Limits

(US)

Name	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
Diphenylmethane-diisocyanate, isomo and homologues	ers 9016-87-9			
4,4'-methylenediphenyl diisocyanate	101-68-8	0.005 PPM		
Diphenylmethane-2,4'-diisocyanate	5873-54-1			
Name	<u>CAS-No.</u>	<u>OSHA PEL</u>	<u>OSHA STEL</u>	
Name Diphenylmethane-diisocyanate, isom and homologues		<u>OSHA PEL</u>	<u>OSHA STEL</u>	

Diphenylmethane-2,4'-diisocyanate 5873-54-1

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

#### 8.2 Exposure controls

## Personal Protection

**RESPIRATORY PROTECTION:** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. No personal respiratory protective equipment normally required.

**EYE PROTECTION:** Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses. Safety goggles.

HAND PROTECTION: Latex gloves Impervious gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

**OTHER PROTECTIVE EQUIPMENT: No Information** 

**ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

# 9. Physical and Chemical Properties

U. 1					
9.1	Information on basic physical and chemical properties Appearance:	Dark brown			
	Physical State	Liquid			
	Odor	Slightly musty			
	Odor threshold	Not determined			
	рН	Non-aqueous			
	Melting point / freezing point (°C)	Not determined			
	Boiling point/range (°C)	N.D N.D.			
	Flash Point, (°F / °C)	428F / 218C			
	Evaporation rate	Not determined			
	Flammability (solid, gas)	Not determined			
	Upper/lower flammability or explosive limits	N/A - N/A			
	Vapour Pressure	4X10^-6			
	Vapour density	8.5			
	Relative density	Not determined			
	Solubility in / Miscibility with water	Reacts with water			
	Partition coefficient: n-octanol/water	Not determined			
	Auto-ignition temperature (°C)	Not determined			
	Decomposition temperature (°C)	Not determined			
	Viscosity	150-260 cps			
	Explosive properties	Not applicable			
	Oxidising properties	Not applicable			
9.2	Other information VOC Content g/I: Grams of VOC per liter of coating product as applied (r Specific Gravity (g/cm3)	7 nixture of Part A and Part B) per ASTM D2369 Method E. 1.248			

# 10. Stability and Reactivity

## 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water. Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4 Conditions to avoid

Keep from any possible contact with water.

#### 10.5 Incompatible materials

Reacts violently in contact with acids, amines, driers, polymerisation accelerators and easily oxidized materials. Contact with water or moist air liberates irritating gas.

### 10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# 11. Toxicological Information

#### 11.1 Information on toxicological effects

5	
Acute Toxicity: Oral LD50:	>2000 mg/kg oral (rat)
Inhalation LC50:	490 mg/m3, 4hr (rat)
Irritation:	No information available.
Corrosivity:	Not corrosive.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
9016-87-9	Diphenylmethane-diisocyanate, isomers and homologues	>10000 mg/kg	>9400 mg/kg	049 mg/l (4 h, Aerosol. rat)		

101-68-8	4,4'-methylenediphenyl diisocyanate	> 7,616  mg/kg oral (Rat)	>9400 mg/kg	0.368 mg/l, 4 hrs (Rat)	0.000	0.000
5873-54-1	Diphenylmethane-2,4'- diisocyanate	>2,000 mg/kg, Rat	>9400 mg/kg, rabbit			0.49 mg/l (4 h, Aerosol. rat)

## Additional Information:

Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates.

12. Ecological Information	
U U	

## 12.1 Toxicity:

	EC50 48hr (Daphnia): IC50 72hr (Algae): LC50 96hr (fish):	No information 1640 mg/l No information
12.2	Persistence and degradability:	0% biodegradation, exposure time 28 days
12.3	Bioaccumulative potential:	Oncorhynchus mykiss (rainbow trout), Exposure time: 112d, <1 BCF
12.4	Mobility in soil:	No information
12.5	Results of PBT and vPvB assessment:	The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.
12.6	Other adverse effects:	No information

CAS-No.	Chemical Name	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
9016-87-9	Diphenylmethane-diisocyanate, isomers and homologues	No information	1640 mg/l	>1000 mg/l
101-68-8	4,4'-methylenediphenyl diisocyanate	>1000 mg/l	No information	597 mg/l (zebra fish)
5873-54-1	Diphenylmethane-2,4'-diisocyanate	No information	No information	>1000 mg/l

# 13. Disposal Considerations

**13.1** WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport Information

14.1	UN number	N/A
14.2	UN proper shipping name	Not regulated for transport
	Technical name	Not applicable
14.3	Transport hazard class(es)	N/A
	Subsidiary shipping hazard	Not applicable
14.4	Packing group	I
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	Not applicable
	EmS-No.:	N/A
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable

# 15. Regulatory Information

<sup>15.1</sup> Safety, health and environmental regulations/legislation for the substance or mixture:

# U.S. Federal Regulations: As follows -

## **CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Carcinogenicity, Acute Toxicity (any route of exposure), Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Serious eye damage or eye irritation, Specific target organ toxicity (single or repeated exposure)

### Sara Section 313:

 This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S.

 Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

 Chemical Name
 CAS-No.
 %

4,4'-methylenediphenyl diisocyanate

#### Toxic Substances Control Act:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

101-68-8

41

No TSCA 12(b) components exist in this product.

EPA Coating Category:	Industrial Maintenance Coating
EPA VOC Content Limit (g/I):	450
Product VOC Content (g/l)	7
Thinning Recommendations:	None
Application Recommendations:	For professional use only.

\* As per the federal EPA definition for coating categories in 40 CFR 59.401. \*\* Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

# U.S. State Regulations: As follows -

#### New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

No NJ Right-To-Know components exist in this product.

#### Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product.

#### California Proposition 65:

No Proposition 65 Chemicals exist in this product.

## International Regulations: As follows -

#### \* Canadian DSL:

All chemical ingredients included on inventory or exempt.

## 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# 16. Other Information

#### Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

#### **Reasons for revision**

Revision Description Changed Substance and/or Product Properties Changed in Section(s): 02 - Hazard Identification 03 - Composition/Information On Ingredients 09 - Physical and Chemical Properties 15 - Regulatory Information Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.

- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.

Date Printed: 03/19/2024

- Commission Regulation (EU) 2020/878

- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier

- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation	
EC European Commission	
EU European Union	
US United States	
CAS Chemical Abstract Service	
EINECS European Inventory of Existing Chemical Substances	
REACH Registration, Evaluation, Authorization of Chemicals Regulation	
GHS Globally Harmonized System of Classification and Labeling of Chemicals	
LTEL Long term exposure limit	
STEL Short term exposure limit	
OEL Occupational exposure limit	
ppm Parts per million	
mg/m3 Milligrams per cubic meter	
TLV Threshold Limit Value	
ACGIH American Conference of Governmental Industrial Hygienists	
OSHA Occupational Safety & Health Administration	
PEL Permissible Exposure Limits	
VOC Volatile organic compounds	
N/A Not applicable LD50 Lethal dose at 50%	
LC50 Lethal concentration at 50%	
EC50 Half maximal effective concentration	
IC50 Half maximal inhibitory concentration	
PBT Persistent bioaccumulative toxic chemical	
vPvB Very persistent and very bioaccumulative	
EEC European Economic Community	
ADR International Transport of Dangerous Goods by Road	
RID International Transport of Dangerous Goods by Rail	
UN United Nations	
IMDG International Maritime Dangerous Goods Code	
IATA International Air Transport Association	
MARPOL International Convention for the Prevention of Pollution From Ships, 1973	as
modified by the Protocol of 1978	
IBC International Bulk Container	
RTI Respiratory Tract Irritation	
NE Narcotic Effects	
IMO International Maritime Organization	
Note P: The classification as a carcinogen or mutagen need not apply; the substa	nce
contains less than 0,1 % w/w benzene	
Note 10: The classification as a carcinogen by inhalation applies only to mixtures	
powder form containing 1 $\%$ or more of titanium dioxide which is in the fo	rm of
or incorporated in particles with aerodynamic diameter $\leq$ 10 µm.	

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product.

It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.

Date Printed: 03/19/2024