Safety Data Sheet

Prepared in Accordance with HCS 29 C.F.R. 1910.1200



1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	01221	Revision Date:	03/13/2024
	Product Name:	STONCLAD UT C-1 Anti Dust	Supersedes Date:	11/22/2023
1.2	Relevant identified uses of the substance or mixture and uses advised against	Component of multicomponent industrothers than recommended	ial coatings - Industrial use. Advised	against:
1.3	Details of the supplier of the safety	data sheet		
	Manufacturer:	Stonhard, Division of StonCor Group, I 1000 East Park Avenue Maple Shade, NJ 08052 +1 856 7797500 (US)	Inc.	
	Datasheet Produced by:	ehs@stonhard.com		
1.4	Emergency telephone number:	+1 703-741-5970 - North America +1 800-424-9300 +55 11 4349 1359 - South America +52 55 8526 4930 - Central America +44 20 3885 0382 - Middle East, Eas +65 3163 8374 - Asia, South Asia, Ar		frica

2. Hazard Identification

2.1 Classification of the substance or mixture

Carcinogenicity, category 1A Serious Eye Damage, category 1 Skin Irritation, category 2 Skin Sensitizer, category 1 STOT, single exposure, category 1

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

calcium hydroxide, quartz (silicon dioxide), portland cement

HAZARD STATEMENTS

Skin Irritation, category 2 Skin Sensitizer, category 1 Serious Eye Damage, category 1 Carcinogenicity, category 1A STOT, single exposure, category 1 PRECAUTION PHRASES	H315 H317 H318 H350-1A H370	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause cancer. Causes damage to organs.
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P307+311 P308+313 P314 P333+313	IF exposed, call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information On Ingredients 3.2 Mixtures Hazardous ingredients Name According to EEC EINEC No. Classifications

Name According to EEC	EINEC No.	<u>CAS-No.</u>	<u>%</u>	Classifications	
quartz (silicon dioxide)	238-878-4	14808-60-7	75-100	H350-370	Carc. 1A, STOT SE 1

Date Printed: 03/19/2	.024				Product: 01221
portland cement	266-043-4	65997-15-1	10 - <25	H315-317-318-335	Eye Dam. 1, Skin Irrit. 2, Skin Sens. 1, STOT SE 3 RTI
calcium hydroxide	215-137-3	1305-62-0	1.0 - <2.5	H315-318-335	Eye Dam. 1, Skin Irrit. 2, STOT SE 3 RTI

CAS-No.

M-Factors

14808-60-7 65997-15-1 1305-62-0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: No Information AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure. AFTER SKIN CONTACT: Use a mild soap if available. Wash off with soap and plenty of water. AFTER EYE CONTACT: Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses. If eye irritation persists, consult a specialist. AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Harmful by inhalation.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture No Information

5.3 Advice for firefighters

None known. The product itself does not burn. In the event of fire, wear self-contained breathing apparatus. Water spray Dry powder Alcohol-resistant foam Carbon dioxide (CO2). High volume water jet. None.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

6.2 Environmental precautions

No Information

6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away

traces with water.

6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid dust formation. Protect from moisture. **PROTECTION AND HYGIENE MEASURES:** Wash hands before breaks and at the end of workday. Do not breathe dust. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: No Information **STORAGE CONDITIONS:** Keep tightly closed in a dry and cool place.

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(US)

Name	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
quartz (silicon dioxide)	14808-60-7	0.025 MGM3		
portland cement	65997-15-1	1 MGM3		
calcium hydroxide	1305-62-0	5 MGM3 5 MGM3		
Name	CAS-No.	OSHA PEL	<u>OSHA STEL</u>	
<u>Name</u> quartz (silicon dioxide)	<u>CAS-No.</u> 14808-60-7	OSHA PEL 0.05 MGM3	<u>OSHA STEL</u>	
			<u>OSHA STEL</u>	

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

8.2 Exposure controls

Personal Protection RESPIRATORY PROTECTION: Effective dust mask. EYE PROTECTION: Safety glasses with side-shields. HAND PROTECTION: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use. OTHER PROTECTIVE EQUIPMENT: No Information ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

9.1	Information on basic physical and chemical properties Appearance:	Sand / Granular
	Physical State	Solid

Odor	Odorless
Odor threshold	Not determined
рН	N/A
Melting point / freezing point (°C)	Not determined
Boiling point/range (°C)	N.D N.D.
Flash Point, (°F / °C)	N/A
Evaporation rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	N/A - N/A
Vapour Pressure	N/A
Vapour density	Not applicable
Relative density	Not determined
Solubility in / Miscibility with water	Insoluble
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature (°C)	Not applicable
Decomposition temperature (°C)	Not applicable
Viscosity	N/A
Explosive properties	Not applicable
Oxidising properties	Not applicable
Other information	
VOC Content g/I:	0
Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.
Specific Gravity (g/cm3)	2.647

10. Stability and Reactivity

```
10.1 Reactivity
```

9.2

No reactivity hazards known under normal storage and use conditions.

- **10.2 Chemical stability** Stable under normal conditions.
- **10.3 Possibility of hazardous reactions** Hazardous polymerisation does not occur.
- 10.4 Conditions to avoid No Information
- **10.5** Incompatible materials Do not store near acids. Strong oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:					
Oral LD50:	No information				
Inhalation LC50:	No information				
Irritation:	No information available.				
Corrosivity:	No information available.				
Sensitization:	No information available.				
Repeated dose toxicity:	No information available.				
Carcinogenicity:	No information available.				
Mutagenicity:	No information available.				
Toxicity for reproduction:	No information available.				
STOT-single exposure:	No information available.				
STOT-repeated exposure:	No information available.				
Aspiration hazard:	No information available.				

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
14808-60-7	quartz (silicon dioxide)	>2000 mg/kg			0.000	0.000
1305-62-0	calcium hydroxide	7340 mg/kr, rat	> 2500 mg/kg, rabbit		0.000	0.000

Additional Information:

The cement contained within this product may cause dermal sensitization due to the potential presence of trace amounts of hexavalent chromium. Constituents of this product may include crystalline silica which, if inhalable, may cause silicosis, a form or progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group 1 carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities. Constituents may also include abestiform or non-asbestiform tremolite or other silicates as impurities, and above dei minimus exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

12. Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):	No information
IC50 72hr (Algae):	No information
LC50 96hr (fish):	No information

12.2 Persistence and degradability:	No information			
12.3 Bioaccumulative potential:	No information			
12.4 Mobility in soil:	No information			
12.5 Results of PBT and vPvB assessment:	Ind vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.			
12.6 Other adverse effects:	No information			
CAS-No. Chemical Name	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>	
14808-60-7 quartz (silicon dioxide)	No information	No information		
65997-15-1 portland cement	No information	No information		
1305-62-0 calcium hydroxide	49.1 mg/l	> 4000 mg/l	160 mg/l	

13. Disposal Considerations

13.1 WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14.	14. Transport Information				
14.1	UN number	N/A			
14.2	UN proper shipping name	Not regulated for transport			
	Technical name	Not applicable			
14.3	Transport hazard class(es)	N/A			
	Subsidiary shipping hazard	N/A			
14.4	Packing group	Not applicable			
14.5	Environmental hazards	Not applicable			
14.6	Special precautions for user	Not applicable			
	EmS-No.:	N/A			
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable			

15. Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Carcinogenicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Serious eye damage or eye irritation, Specific target organ toxicity (single or repeated exposure)

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

No SARA 313 substances exist in this product above de minimis concentrations.

Toxic Substances Control Act:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. Clean Air Act:

EPA Coating Category:	N/A
EPA VOC Content Limit (g/I):	N/A
Product VOC Content (g/l)	0
Thinning Recommendations:	N/A
Application Recommendations:	N/A

* As per the federal EPA definition for coating categories in 40 CFR 59.401.

** Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical Name	CAS-No.
glass oxide	65997-17-3
white mineral oil	8042-47-5

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product.

California Proposition 65:

WARNING: Cancer - www.P65Warnings.ca.gov

WARNING: Reproductive Toxicant -- www.P65Warnings.ca.gov

International Regulations: As follows -

* Canadian DSL:

All chemical ingredients included on inventory or exempt.

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H350	May cause cancer.
H370	Causes damage to organs.

Reasons for revision

Substance and/or Product Properties Changed in Section(s): 09 - Physical and Chemical Properties

Changes have been made to Section 9 of the Safety Data Sheet (SDS). Please refer to the Physical and Chemical Properties information in Section 9 of this SDS. This Safety Data Sheet (SDS) has been revised to meet updated national hazard communication standards which have adopted the provisions of the UN GHS system. There have been both formatting and content changes based on the GHS classification (if applicable), Please review each section of the SDS for specific changes. This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances

Date Printed: 03/19/2024

REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
mqq	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 % or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter \leq 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.

Date Printed: 03/19/2024