Safety Data Sheet

Prepared in Accordance with HCS 29 C.F.R. 1910.1200



1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	3000A0	Revision Date:	03/13/2024
	Product Name:	STONCRETE EFX AMINE	Supersedes Date:	01/26/2023
1.2	Relevant identified uses of the substance or mixture and uses advised against	Component of multicomponent industri appropriately trained applicators. Pleas others than recommended		

1.3 Details of the supplier of the safety data sheet

+1 856 7797500 (US)

	Datasheet Produced by:	ehs@stonhard.com
1.4	Emergency telephone number:	+1 703-741-5970 - North America +1 800-424-9300 +55 11 4349 1359 - South America +52 55 8526 4930 - Central America +44 20 3885 0382 - Middle East, Eastern Europe, Western Europe, and Africa +65 3163 8374 - Asia, South Asia, And Oceania

2. Hazard Identification

2.1 Classification of the substance or mixture

Acute Toxicity, Inhalation, category 3 Reproductive_ToxicityF_category_1B Skin Corrosion, category 1B Skin Sensitizer, category 1 STOT, single exposure, category 3, RTI

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

4,4'-isopropylidenediphenol, Diethylenetriamine, 4,4' - isopropylidenediphenol oligomeric reaction products with 1chloro-2,3-epoxypropane, reaction products with dietheylenetriamine

HAZARD STATEMENTS

Acute Toxicity, Oral, category 4 Acute Toxicity, Dermal, category 4 Skin Corrosion, category 1B Skin Sensitizer, category 1 Acute Toxicity, Inhalation, category 3 STOT, single exposure, category 3, RTI Reproductive_ToxicityF_category_1B PRECAUTION PHRASES	H302 H312 H314-1B H317 H331 H335 H360F	Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Toxic if inhaled. May cause respiratory irritation. May damage fertility.
FRECAUTION FIRASES	500/	
	P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P270	Do no eat, drink or smoke when using this product.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P308+P313 P312	IF exposed or concerned: Get medical advice/attention Call a POISON CENTER or doctor/physician if you feel unwell.
	P333+313 P352 P363	If skin irritation or rash occurs: Get medical advice/attention. Wash with plenty of soap and water. Wash contaminated clothing before reuse.

2.3 Other hazards

This product contains a component that is toxic by inhalation when aerosolized or sprayed. Please refer to section 11 of the SDS for toxicity information. Review the toxicity against the intended use. If product is not being aerosolized or sprayed, the inhalation toxicity may not be applicable.

This product is classified as a "Acute Toxicity, Inhalation, Category 1" due to containing Diethylenetriamine (CAS # 111-40-0). Numerous Industrial Hygiene air monitoring studies have been conducted by Stonhard to determine actual levels of exposure to Diethylenetriamine during product installations to application personnel. In each case levels of exposure were found to be well below the ACGIH Threshold Limit Value and NIOSH Recommended Exposure Limit of 1 ppm.

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous ingredients					
Name According to EEC Diethylenetriamine	<u>EINEC No.</u> 203-865-4	<u>CAS-No.</u> 111-40-0	<u>%</u> 25 - <50	Classifications H302-312-314-317-3 31	Acute Tox. 3 Inhalation, Acute Tox. 4 Dermal, Acute Tox. 4 Oral, Skin Corr. 1B, Skin Sens. 1
4,4'- isopropylidenediphenol	201-245-8	80-05-7	25 - <50	H317-318-335-360F	Eye Dam. 1, Repr. 1B, Skin Sens. 1, STOT SE 3 RTI
4,4' - isopropylidenediphenol oligomeric reaction products with 1- chloro-2,3- epoxypropane, reaction products with dietheylenetriamine	500-072-8	31326-29-1	25 - <50	H302-312	Acute Tox. 4 Dermal, Acute Tox. 4 Oral

CAS-No. 111-40-0 M-Factors

80-05-7 31326-29-1

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe burns. Harmful in contact with skin and if swallowed. Irritating to eyes and respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist. PROTECTION AND HYGIENE MEASURES: Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat. **STORAGE CONDITIONS:** Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

The mixing and application to be in accordance with the technical data sheets.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (US)

<u>Name</u>	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
Diethylenetriamine	111-40-0	1 PPM		
4,4'-isopropylidenediphenol	80-05-7			
4,4' - isopropylidenediphenol oligome reaction products with 1-chloro-2,3- epoxypropane, reaction products with dietheylenetriamine				
Name	CAS-No.	OSHA PEL	OSHA STEL	
Name Diethylenetriamine	<u>CAS-No.</u> 111-40-0	OSHA PEL 4 MGM3, 1 PPM	<u>OSHA STEL</u>	
			<u>OSHA STEL</u>	

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required. EYE PROTECTION: Safety glasses. HAND PROTECTION: Impervious gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use. OTHER PROTECTIVE EQUIPMENT: No Information ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined

areas.

9. Physical and Chemical Properties

9.1	Information on basic physical and chemical properties Appearance:	Clear / colorless
	Physical State	LIQUID
	Odor	Ammonical
	Odor threshold	Not determined
	рН	Alkaline
	Melting point / freezing point (°C)	Not determined
	Boiling point/range (°C)	N.D N.D.
	Flash Point, (°F / °C)	228F / 109C
	Evaporation rate	Not determined
	Flammability (solid, gas)	Not determined

Upper/lower flammability or explosive

	N/A - N/A
limits	
Vapour Pressure	7.8 mmHg @ 21C
Vapour density	Heavier than air
Relative density	Not determined
Solubility in / Miscibility with water	Insoluble
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature (°C)	Not determined
Decomposition temperature (°C)	Not determined
Viscosity	400 CPS
Explosive properties	N/A
Oxidising properties	N/A
Other information	
VOC Content g/I: Grams of VOC per liter of coating product as applied (n	4 nixture of Part A and Part B) per ASTM D2369 Method E.
Specific Gravity (g/cm3)	1.030

10. Stability and Reactivity

10.1 Reactivity

9.2

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerisation may occur.

10.4 Conditions to avoid Direct sources of heat.

10.5 Incompatible materials Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:	
Oral LD50:	No data
Inhalation LC50:	No data
Irritation:	No information available.
Corrosivity:	Corrosive to eyes and skin.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
111-40-0	Diethylenetriamine	1080 mg/kg, oral, rat	1090 mg/kg	10 mg/L / 1 hour, inh, rat	0.000	0.000
80-05-7	4,4'-isopropylidenediphenol	3250 mg/kg, oral, rat	3000 mg/kg, oral, rabbit		0.000	0.000
31326-29-1	4,4' - isopropylidenediphenol oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with dietheylenetriamine	540 mg/kg, oral (rat)	1494 mg/kg, rabbit		0.000	0.000

Additional Information:

This product is classified as a "Acute Toxicity, Inhalation, Category 1" due to containing Diethylenetriamine (CAS # 111-40-0). Numerous Industrial Hygiene air monitoring studies have been conducted by Stonhard to determine actual levels of exposure to Diethylenetriamine during product installations to application personnel. In each case levels of exposure were found to be well below the ACGIH Threshold Limit Value and NIOSH Recommended Exposure Limit of 1 ppm.

12. Ecological Information

12.1	Toxic	ity:			
	EC	50 48hr (Daphnia):	No information		
	IC5	60 72hr (Algae):	No information		
	LC	50 96hr (fish):	No information		
12.2	Persis	stence and degradability:	No information		
12.3	Bioac	cumulative potential:	No information		
12.4	Mobil	ity in soil:	No information		
12.5		ts of PBT and vPvB sment:	The product does not mee	et the criteria for PBT/VF	PvB in accordance with Annex XIII.
12.6	Other	adverse effects:	No information		
CAS-	<u>-No.</u>	Chemical Name	EC50 48hr	<u>IC50 72hr</u>	<u>LC50 96hr</u>
111-4	40-0	Diethylenetriamine	780 mg/l	No information	430 mg/l
80-05	5-7	4,4'-isopropylidenediphenol	10.2 mg/l	No information	205 mg/l
31320	6-29-1	4,4' - isopropylidenediphenol oligomeric reaction products with 1-chloro-2,3- epoxypropane, reaction products with dietheylenetriamine	No information	No information	

13. Disposal Considerations

13.1 WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14.	Transport Information	
14.1	UN number	UN2735
14.2	UN proper shipping name	Polyamines, liquid, corrosive, n.o.s.
	Technical name	Diethylenetriamine, Aminoethylpiperazine
14.3	Transport hazard class(es)	8
	Subsidiary shipping hazard	N/A
14.4	Packing group	II
14.5	Environmental hazards	N/A
14.6	Special precautions for user	Not applicable
	EmS-No.:	F-A, S-B
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable

15. Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Toxicity (any route of exposure), Reproductive toxicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Specific target organ toxicity (single or repeated exposure)

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

No SARA 313 substances exist in this product above de minimis concentrations.

Toxic Substances Control Act:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. Clean Air Act:

EPA Coating Category:	Industrial Maintenance Coating
EPA VOC Content Limit (g/I):	450
Product VOC Content (g/l)	4
Thinning Recommendations:	None
Application Recommendations:	For professional use only.

* As per the federal EPA definition for coating categories in 40 CFR 59.401.

** Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

No NJ Right-To-Know components exist in this product.

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product.

California Proposition 65:

WARNING: Reproductive Toxicant -- www.P65Warnings.ca.gov

No Proposition 65 Carcinogens exist in this product.

International Regulations: As follows -

* Canadian DSL:

All chemical ingredients included on inventory or exempt.

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H302 Harmful if swallowed.	
H312 Harmful in contact with	skin.
H314 Causes severe skin bu	irns and eye damage.
H317 May cause an allergic	skin reaction.
H318 Causes serious eye da	image.
H331 Toxic if inhaled.	
H335 May cause respiratory	irritation.
H360F May damage fertility.	

Reasons for revision

Substance and/or Product Properties Changed in Section(s):

02 - Hazard Identification

```
03 - Composition/Information On Ingredients
```

```
09 - Physical and Chemical Properties
```

15 - Regulatory Information

Revision Statement(s) Changed

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.

- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP

Classification, Labeling & Packaging Regulation

EU European Union US United States CAS Chemical Abstract Service EINECS European Inventory of Existing Chemical Substances REACH Registration, Realuation, Authorization of Chemicals Regulation GBS Globally Harmonized System of Classification and Labeling of Chemicals LTEL Long term exposure limit STEL Short term exposure limit OCL Occupational exposure limit Mg/M3 Milligrams per cubic meter TLV Threshold Limit Value ACGIH American Conference of Governmental Industrial Hygienists OSAA Occupational Sefty & Health Administration PEL Permissible Exposure Limits VOC Volatile organic compounds g/l Grams per liter mg/kg Milligrams per kilogram N/A Not applicable LDSO Lethal dose at 50% LCSO Lethal concentration at 50% ECSO Half maximal effective concentration LDSO Letrational Transport of Dangerous Goods by Road RTD International Maritime Dangerous Goods by Road RTD International Maritime Dangerous Goods Code LTAN International Maritime Cagnization NMA International Lonvention for th	EC	European Commission
USUnited statesCASChemical Abstract ServiceEINRCSEuropean Inventory of Existing Chemical SubstancesREACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitOELOccupational exposure limitDELOccupational exposure limitMg/m3Milligrams per cubic meterTVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSSAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVCCVolatile organic compoundsg/ldGrams per klogramN/ANot applicableLDS0Lethal concentration at 50%EC50Half maximal effective concentrationPETPersistent bioaccumulative toxic chemicalvVvBVery persistent and very bioaccumulativeEC5European Enormic of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RoadRIDInternational Air Transport AssociationMARCInternational Air Transport of Dangerous Goods by RoadRIDInternational Air Transport of ParletionRIMGInternational Air Transport of Dangerous Goods by RoadRIDInternational Air Transport of Parletion of Pollution From Ships, 1973 as modified by the Protocol of 1978IRCInternational Air Transport AssociationNARNart		
CASChemical Abstract ServiceEINECSEuropean Inventory of Existing Chemical SubstancesERACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitDELOccupational exposure limitpmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLDS0Lethal concentration at 50%ECS0Half maximal inhibitory concentrationPBTPersistent and very bioaccumulativeECCEuropean Economic CommunityADRInternational Transport of Dangerous Goods by ReadRIDInternational Transport of Dangerous Goods by RealRIDInternational Aritime Dangerous Goods by RealIMAInternational Aritime Dangerous Goods by RealIMAInternational Aritime Dangerous Goods by RealRIDInternational Aritime Dangerous Goods by RealRIDInternatio		
BINECSEuropean Inventory of Existing Chemical SubstancesREACHRegistration, Evaluation, Authorization of Chemicals RegulationREACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitDELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSKAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal inhibitory concentrationIC50Half maximal inhibitory concentrationVPWVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods by Road </td <td></td> <td></td>		
REACHRegistration, Rvaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitDELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal concentration at 50%LC50Half maximal inhibitory concentrationIC50Half maximal effective conneutrationPETPersistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Air Timesport AssociationMARCEInternational Air Transport AssociationMARCEInternational Air Transport AssociationMARCEInternational Bulk ContainerRT1Respiratory Tratition as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote P1:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene		
GHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitQELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVCCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%ECS0Half maximal inhibitory concentrationICS0Half maximal inhibitory concentrationPETPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods by RoadRIDInternational Alt Transport AssociationMARPOLInternational Alt Transport AssociationMARPOLInternational Bulk ContainerRTRespiratory Tract IrritationNeNarcotic EffectsIMOInternational Bulk ContainerRTRespiratory Tract IrritationNeNarcotic EffectsIMOInternational Bulk ContainerRTThe classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene<		
LTELLong term exposure limitSTELShort term exposure limitSTELShort term exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGTHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal effective concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEC50International Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Maritime DirectationNARPOLInternational Line AssociationNARPOLInternational Maritime OrganizationNotInternational Maritime OrganizationNotInternational Maritime OrganizationNotInternational Maritime OrganizationNotInternational Maritime OrganizationNote F:The classification as a carcinogen or mutagen need not ap		
STELShort term exposure limitOELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%EC50Half maximal effective concentrationIC50Half maximal effective concentrationPBTPersistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Arit Transport of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Maritime OrganizationNANot EffectsINOInternational Maritime OrganizationNote F:The classification as a carcinogen or mutagen need not apply, the substance contains less than 0,1 % w/w bezneenNote F:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
OELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSRAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLDS0Lethal dose at 50%LCS0Lethal concentration at 50%ECS0Half maximal effective concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeECCEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDCInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Maritime Dangerous Goods CodeIATAInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply, the substance contains less than 0,1 % w/w bezoneNote P1:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
ppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RailUNUnited NationsIMD6International Aritime Dangerous Goods CodeIATAInternational Aritime Dangerous Goods CodeIATAInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote P1:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote P1:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote P1:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene <td>OEL</td> <td>-</td>	OEL	-
mg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGTHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal effective concentrationIC50Half maximal effective concentrationPETPersistent bioaccumulative toxic chemicalVPVBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadINNUnited NationsIMDCInternational Transport of Dangerous Goods by RailUNUnited NationsIMDCInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene	mqq	
TVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods by RailUNUnited NationsMARPOLInternational Air Transport AssociationMARPOLInternational Maritime OrganizationNENacotic EffectsIMOInternational Air TritationNENacotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
OSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsMMROLInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanum dioxide which is in the form of	-	
OSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsMMROLInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	ACGIH	American Conference of Governmental Industrial Hygienists
PELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Aritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Aritime OrganizationNeNarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeenNote 10:The classification as a carcinogen by inhalation applies onl	OSHA	
VOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationPBTPersistent bioaccumulative concentrationPBTPersistent bioaccumulative conductiveEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods by RailUNUnited NationsIMCGInternational Air Transport of Pervention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	PEL	
mg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal effective concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	VOC	-
N/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	g/l	Grams per liter
LD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	mg/kg	Milligrams per kilogram
LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	N/A	Not applicable
EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	LD50	Lethal dose at 50%
IC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalVPVBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IECInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	LC50	Lethal concentration at 50%
PBTPersistent bioaccumulative toxic chemicalVPVBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	EC50	Half maximal effective concentration
 VPvB Very persistent and very bioaccumulative EEC European Economic Community ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail UN United Nations IMDG International Maritime Dangerous Goods Code IATA International Air Transport Association MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 IBC International Bulk Container RTI Respiratory Tract Irritation NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of 	IC50	Half maximal inhibitory concentration
EECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	PBT	Persistent bioaccumulative toxic chemical
ADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	vPvB	Very persistent and very bioaccumulative
RIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	EEC	European Economic Community
 UN United Nations IMDG International Maritime Dangerous Goods Code IATA International Air Transport Association MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 IBC International Bulk Container RTI Respiratory Tract Irritation NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of 	ADR	International Transport of Dangerous Goods by Road
 IMDG International Maritime Dangerous Goods Code IATA International Air Transport Association MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 IBC International Bulk Container RTI Respiratory Tract Irritation NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of 	RID	International Transport of Dangerous Goods by Rail
<pre>IATA International Air Transport Association MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 IBC International Bulk Container RTI Respiratory Tract Irritation NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of</pre>	UN	United Nations
MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 IBC International Bulk Container RTI Respiratory Tract Irritation NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	IMDG	
modified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	IATA	
IBCInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic EffectsIMOInternational Maritime OrganizationNote P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
RTI Respiratory Tract Irritation NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		modified by the Protocol of 1978
 NE Narcotic Effects IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of 	IBC	International Bulk Container
IMO International Maritime Organization Note P: The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
Note P:The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	NE	
contains less than 0,1 % w/w benzeneNote 10:The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of		
Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of	Note P:	
powder form containing 1 % or more of titanium dioxide which is in the form of		·
	Note 10:	
		1
or incorporated in particles with aerodynamic diameter \leq 10 μ m.		or incorporated in particles with aerodynamic diameter \leq 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.