Stontec TRF by Stonhard

Health Product Declaration v2.3 created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1103746954240 CLASSIFICATION: 09 67 00 Fluid-Applied Flooring PRODUCT DESCRIPTION: A complete flooring system HPD consisting of Urethane Primer and Stontec TRF.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory	Reporting
Format	

Nested Materials MethodBasic Method

Threshold Disclosed Per

O Material

O Product

Threshold Level C 100 ppm C 1,000 ppm C Per GHS SDS

© Other

Residuals/Impurities Evaluation © Completed © Partially Completed © Not Completed

Explanation(s) provided : • Yes C No

For all contents above the threshold, the manufacturer has: Characterized Image: Screened Provided weight and role. Screened Image: Screening results using HPDC-approved methods. Identified Image: Screened Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

STONTEC TRF [QUARTZ (PRIMARY CASRN IS 14808-60-7) BM-1 CAN | MAM | GEN PORTLAND CEMENT LT-P1 | CAN | END | MAM POLYMETHYLENE POLYPHENYL ISOCYANATE LT-UNK | CAN | RES | EYE | SKI | MAM CASTOR OIL NoGS 4,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK | CAN | RES | SKI | EYE | MAM CALCIUM HYDROXIDE LT-P1 | SKI | MAM | EYE C9-11-BRANCHED ALKYL BENZOATE LT-UNK HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER LT-P1 | SKI DESMOPHEN XP 7068 LT-UNK WATER BM-4 BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | MUL | SKI | EYE | AQU TITANIUM DIOXIDE LT-1 | CAN | END | MAM BARIUM SULFATE BM-2 | CAN | MAM WHITE MINERAL OIL LT-UNK GARNET NoGS BUTYL BENZYL PHTHALATE (BBP) LT-1 | END | REP | MUL | DEV | CAN | AQU 1,3,3-TRIMETHYL-N-(2-METHYLPROPYLIDENE)-5-[(2-METHYLPROPYLIDENE)AMINO]CYCLOHEXANEMETHYLAMINE LT-UNK | SKI | EYE 4-NONYLPHENOL (BRANCHED) LT-1 | END | MUL | PBT | SKI | AQU | REP | EYE DIAMINOPOLYPROPYLENE GLYCOL LT-UNK | MUL | SKI | EYE | MAM CYCLOHEXANONE, HOMOPOLYMER LT-UNK DIBUTYL SEBACATE LT-UNK | REP PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER BM-1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

N/A

VOLATILE ORGANIC COMPOUND (VOC) CONTENT CERTIFICATIONS AND COMPLIANCE See Section 3 for additional Material (g/l): 11.38 Regulatory (g/l): 11.38 listings. Does the product contain exempt VOCs: No VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) Are colorants available that do not increase the VOC content of the VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) base paint when tinted: N/A VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) Classroom & Office scenario VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) Classroom & Office scenario VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) Classroom & Office scenario VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) Classroom & Office scenario VOC content: CDPH Standard Method V1.2 (Section 01350/CHPS)

Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2023-06-15 PUBLISHED DATE: 2023-06-15 EXPIRY DATE: 2026-06-15 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

STONTEC TRF			
PRODUCT THRESHOLD: 10	000 ppm RESIDUALS AND	IMPURITIES EVALUATION COMP	PLETED: Yes
RESIDUALS AND IMPURITI	ES NOTES: Residuals are considered and	included only when above the rep	ported threshold.
OTHER PRODUCT NOTES:	N/A		
QUARTZ (PRIMARY CAS	RN IS 14808-60-7)		ID: 87347-84-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2	2023-06-15 8:27:07
%: 64.0900 - 64.0900	GreenScreen: BM-1	RC: None NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcino	gens Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
МАМ	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		
PORTLAND CEMENT		ID: 65997-15-1
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-06-15 8:27:46
%: 8.3600 - 8.3600	GreenScreen: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disr	uptors Potential Endocrine Disruptor
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		ID: 9016-87-9
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-06-15 8:28:27
%: 4.3300 - 4.3300	GreenScreen: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautio	onary List	
			Precautionary lis avoidance	st of substances recomme	nded for
SUBSTANCE NOTES:					
CASTOR OIL	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-06-15 8:29:29	ID: 8001-7
%: 3.3800 - 3.3800	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE:	Reagent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD Priorit	ty Hazard Lis
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Addition	al Hazard Lis
				2022 05 15 0-00-00	ID: 101-6
44'- DIPHENYLMETHANE I	DIISOCYANATE Pharos Chemical and Materials Library GreenScreen: LT-UNK	HAZARD S RC: None	CREENING DATE: NANO: No	2023-06-15 8:30:03 SUBSTANCE ROLE: C	
1,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE:	Pharos Chemical and Materials Library				
4,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE: %: 2.8900 - 2.8900	Pharos Chemical and Materials Library GreenScreen: LT-UNK		NANO: No WARNINGS	SUBSTANCE ROLE: C	uring agent
1,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE: %: 2.8900 - 2.8900 HAZARD TYPE	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE		NANO: No WARNINGS Carcinogen Gro Iow risk under M	SUBSTANCE ROLE: C	uring agent inogen with
4,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE: %: 2.8900 - 2.8900 HAZARD TYPE CAN	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE MAK	RC: None	NANO: No WARNINGS Carcinogen Gro low risk under M Sensitizing Subs sensitization	SUBSTANCE ROLE: C up 4 - Non-genotoxic carc IAK/BAT levels	uring agent inogen with way & skin
4,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE: %: 2.8900 - 2.8900 HAZARD TYPE CAN RES	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE MAK MAK	RC: None	NANO: No WARNINGS Carcinogen Gro low risk under M Sensitizing Subs sensitization H315 - Causes s Category 2] H319 - Causes s	SUBSTANCE ROLE: C up 4 - Non-genotoxic carc IAK/BAT levels stance Sah - Danger of airc	uring agent inogen with way & skin on/irritation -
4,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE: %: 2.8900 - 2.8900 HAZARD TYPE CAN RES SKI	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE MAK MAK EU - GHS (H-Statements) Annex	RC: None	NANO: No WARNINGS Carcinogen Gro low risk under M Sensitizing Subs sensitization H315 - Causes s Category 2] H319 - Causes s damage/eye irrit	SUBSTANCE ROLE: C up 4 - Non-genotoxic carc IAK/BAT levels stance Sah - Danger of airc skin irritation [Skin corrosic serious eye irritation [Serio	uring agent inogen with way & skin on/irritation - us eye
4,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE: %: 2.8900 - 2.8900 HAZARD TYPE CAN RES SKI EYE	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE MAK MAK EU - GHS (H-Statements) Annex EU - GHS (H-Statements) Annex	RC: None	NANO: No WARNINGS Carcinogen Gro low risk under M Sensitizing Subs sensitization H315 - Causes s Category 2] H319 - Causes s damage/eye irrit	SUBSTANCE ROLE: C up 4 - Non-genotoxic carc IAK/BAT levels stance Sah - Danger of aim skin irritation [Skin corrosic eerious eye irritation [Serio ation - Category 2A] ed of causing cancer [Carc	uring agent inogen with way & skin on/irritation - us eye
4,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE: %: 2.8900 - 2.8900 HAZARD TYPE CAN RES SKI EYE CAN	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE MAK MAK EU - GHS (H-Statements) Annex EU - GHS (H-Statements) Annex	RC: None	NANO: No WARNINGS Carcinogen Gro low risk under M Sensitizing Subs sensitization H315 - Causes s Category 2] H319 - Causes s damage/eye irrit H351 - Suspecte Category 2]	SUBSTANCE ROLE: C up 4 - Non-genotoxic carc IAK/BAT levels stance Sah - Danger of ain skin irritation [Skin corrosic eerious eye irritation [Serio ation - Category 2A] ed of causing cancer [Carc tegory 2	uring agent inogen with way & skin on/irritation - us eye
4A'-DIPHENYLMETHANE I HAZARD DATA SOURCE: (%: 2.8900 - 2.8900 HAZARD TYPE CAN RES SKI EYE CAN SKI	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE MAK MAK EU - GHS (H-Statements) Annex EU - GHS (H-Statements) Annex EU - GHS (H-Statements) Annex	RC: None	NANO: No WARNINGS Carcinogen Gro low risk under M Sensitizing Subs sensitization H315 - Causes s Category 2] H319 - Causes s damage/eye irrit H351 - Suspecte Category 2] Skin irritation cat	SUBSTANCE ROLE: C up 4 - Non-genotoxic carc IAK/BAT levels stance Sah - Danger of ain skin irritation [Skin corrosic eerious eye irritation [Serio ation - Category 2A] ed of causing cancer [Carc tegory 2	uring agent inogen with way & skin on/irritation - us eye sinogenicity -
4,4'-DIPHENYLMETHANE I HAZARD DATA SOURCE: %: 2.8900 - 2.8900 HAZARD TYPE CAN RES SKI EYE CAN SKI EYE	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE MAK MAK EU - GHS (H-Statements) Annex EU - GHS (H-Statements) Annex EU - GHS (H-Statements) Annex GHS - New Zealand GHS - New Zealand	RC: None	NANO: No WARNINGS Carcinogen Gro low risk under M Sensitizing Subs sensitization H315 - Causes s Category 2] H319 - Causes s damage/eye irrit H351 - Suspecto Category 2] Skin irritation cat Eye irritation cat H315 - Causes s Category 2]	SUBSTANCE ROLE: C up 4 - Non-genotoxic carc IAK/BAT levels stance Sah - Danger of ain skin irritation [Skin corrosic serious eye irritation [Serio tation - Category 2A] ed of causing cancer [Carc tegory 2 tegory 2	inogen with way & skin on/irritation - us eye :inogenicity - on/irritation -

МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
МАМ	GHS - New Zealand	Acute inhalation toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: gas) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
SUBSTANCE NOTES:		
CALCIUM HYDROXIDE		ID: 1305-62-0
		ID. 1303-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-06-15 8:33:47

%: 2.5500 - 2.5500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Australia		H315 - Causes s Category 2]	skin irritation [Skin corrosion/irritation -
МАМ	GHS - Japan			damage to organs [Specific target c toxicity following single exposure -
SKI	GHS - New Zealand		Skin corrosion c	category 1C
EYE	GHS - New Zealand		Serious eye dan	nage category 1
EYE	GHS - Japan			serious eye damage [Serious eye ritation - Category 1]
SKI	GHS - Japan		H315 - Causes s Category 2]	skin irritation [Skin corrosion / irritation -
EYE	GHS - Australia			serious eye damage [Serious eye tation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Class	ses of Problematic Chemicals
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Cosmetics & Pe	rsonal Care Products
SUBSTANCE NOTES:				
C9-11-BRANCHED ALKYL I	BENZOATE			ID: 131298-44-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-06-15 8:34:36
%: 2.0400 - 2.0400	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER ID: 28182-8				
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-06-15 8:35:10
%: 1.9500 - 1.9500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin sensitisatio	n category 1

None found			No	listings found on Additi	onal Hazard Lists
SUBSTANCE NOTES:					
DESMOPHEN XP 7068					ID: 136210-30-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-06-15 8:35:57	
%: 1.8800 - 1.8800	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROL	E: Reagent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Pri	ority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additi	onal Hazard Lists
SUBSTANCE NOTES:					
WATER					ID: 7732-18-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-06-15 8:36:45	
%: 1.7900 - 1.7900	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE	Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Pri	ority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Con (EU EC)	nmission	EU - REACH Exe	emptions	
			Exempted from	REACH Annex IV listing	due to intrinsic

BISPHENOL A EPICHLOP					ID: 25068-38-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCR	REENING DATE:	2023-06-15 8:37:24	
%: 1.4100 - 1.4100	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Pol	ymer species

safety

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3	-1 H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3	-1 H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3	 H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES:		
TTANIUM DIOXIDE		ID: 13463-67
AZARD DATA SOURCE: Pha	ros Chemical and Materials Library HAZARD	SCREENING DATE: 2023-06-15 8:38:25

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
CURCTANCE NOTES.		

BARIUM SULFATE

ID: 7727-43-7

HAZARD DATA SOURCE	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-06-15 8:38:52	
%: 0.5900 - 0.5900	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	МАК		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
MAM GHS - Japan		H372 - Causes damage to organs through prolonged o repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]			

LIST NAME AND SOURCE	NOTIFICATION
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Biological and Environmentally Released Materials
Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
	Children's Products
Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
	Cosmetics & Personal Care Products
	Cradle to Cradle Products Innovation Institute (C2CPII) Cradle to Cradle Products Innovation Institute (C2CPII) Cradle to Cradle Products Innovation

WHITE MINERAL OIL					ID: 8042-47-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-06-15 8:39:45	
%: 0.5500 - 0.5500	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE:	Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD Priority	y Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Class	ses of Problematic Chemica	als
			Some Solvents		

ZARD DATA SOURCE: Ph	aros Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-06-15 8:40:10	
0.5000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROL	E: Filler
AZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
one found			No warr	ings found on HPD Prior	ity Hazard Lists
DDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
one found			No	istings found on Addition	nal Hazard Lists
UBSTANCE NOTES:					
TYL BENZYL PHTHALATE	(BBP)				ID: 85-68-

WARNINGS

Stontec TRF

SUBSTANCE ROLE: Plasticizer

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
CAN	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Category 1(1B)]
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

END	EU - SVHC List	Equivalent Concern - Candidate List: endocrine disrupting properties cause probable serious effects to the environment or human health
END	EU - SVHC List	Equivalent Concern - Authorization List: endocrine disrupting properties cause probable serious effects to the environment or human health
REP	EU - SVHC List	Toxic to reproduction - Banned unless Authorised
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Bisphenols and Phthalates
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES:		

1,3,3-TRIMETHYL-N-(2-METHYLPROPYLIDENE)-5-[(2- METHYLPROPYLIDENE)AMINO]CYCLOHEXANEMETHYLAMINE				
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-06-15 8:44:25
%: 0.3500 - 0.3500	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin corrosion c	category 1C
EYE	GHS - New Zealand		Serious eye dam	nage category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

4-NONYLPHENOL	(BRANCHED)

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	2023-06-15 8:48:09
%: 0.3400 - 0.3400	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Reagent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Dis	ruptors	Potential Endocrin	e Disruptor
END	OSPAR - Priority PBTs & EDs & concern	equivalent	Endocrine Disrupt	or - Chemical for Priority Action
END	ChemSec - SIN List	ChemSec - SIN List E		ion
MUL	ChemSec - SIN List		CMR - Carcinoger Toxicant	n, Mutagen &/or Reproductive
MUL	German FEA - Substances Haza Waters	ardous to	Class 3 - Severe H	lazard to Waters
РВТ	OSPAR - Priority PBTs & EDs & concern	equivalent	PBT - Substance	of Possible Concern
РВТ	ChemSec - SIN List		PBT / vPvB (Persis Persistent & very I	stent, Bioaccumulative, & Toxic / very Bioaccumulative)
SKI	EU - GHS (H-Statements) Annex	x 6 Table 3-1		vere skin burns and eye damage [Skin n - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annes	x 6 Table 3-1		to aquatic life [Hazardous to the ent (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annes	x 6 Table 3-1	-	to aquatic life with long lasting effects aquatic environment (chronic) -
REP	EU - GHS (H-Statements) Annes	x 6 Table 3-1		ed of damaging fertility. Suspected of orn child [Reproductive toxicity -
EYE	GHS - New Zealand		Serious eye dama	ge category 1
SKI	GHS - Japan		H314 - Causes ser corrosion / irritatio	vere skin burns and eye damage [Skin on - Category 1]
SKI	GHS - Australia			vere skin burns and eye damage [Skin n - Category 1A or 1B or 1C]
AQU	GHS - New Zealand		Hazardous to the 1	aquatic environment - acute category
AQU	GHS - Japan		-	to aquatic life [Hazardous to the ent (acute) - Category 1]
AQU	GHS - Japan		-	to aquatic life with long lasting effects aquatic environment (chronic) -
AQU	GHS - Australia		-	to aquatic life with long lasting effects aquatic environment (chronic) -
AQU	GHS - New Zealand		Hazardous to the category 1	aquatic environment - chronic
AQU	GHS - Korea		-	to aquatic life [Hazardous to the ent (acute) - Category 1]

AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	GHS - Korea	H361 - Suspected of damaging fertility or the unborn child [Reproductive toxicity - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
REP	GHS - Australia	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
END	EU - SVHC List	Equivalent Concern - Candidate List
END	EU - SVHC List	Equivalent Concern - Candidate List: endocrine disrupting properties cause probable serious effects to the environment or human health
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects

DIAMINOPOLYPROPYLENE GLYCOL ID: 9046-10-0 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-06-15 8:48:43 %: 0.3400 - 0.3400 GreenScreen: LT-UNK SUBSTANCE ROLE: Solvent RC: None NANO: No HAZARD TYPE LIST NAME AND SOURCE WARNINGS MUL German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters SKI GHS - New Zealand Skin corrosion category 1C GHS - New Zealand EYE Serious eye damage category 1 SKI GHS - Australia H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] MAM GHS - New Zealand Acute dermal toxicity category 3 MAM GHS - New Zealand Acute oral toxicity category 3

LIST NAME AND SOURCE

NOTIFICATION

No listings found on Additional Hazard Lists

None found

SUBSTANCE NOTES:

%: 0.3200 - 0.3200 GreenScreen: LT-UN HAZARD TYPE LIST NAME AND	K RC	C: None	NANO: No	SUBSTANCE ROL	E. O. hard
HAZARD TYPE LIST NAME AND				00001/11021102	E: Solvent
	SOURCE		WARNINGS		
None found			No warn	ings found on HPD Pric	ority Hazard Lists
ADDITIONAL LISTINGS LIST NAME AND	SOURCE		NOTIFICATION		
None found			Nol	istings found on Additio	onal Hazard Lists
SUBSTANCE NOTES:					
DIBUTYL SEBACATE					ID: 109-43-
AZARD DATA SOURCE: Pharos Chemical and Ma	terials Library HA	AZARD SCI	REENING DATE:	2023-06-15 8:49:57	
%: 0.1700 - 0.1700 GreenScreen: LT-UN	K RC	C: None	NANO: No	SUBSTANCE ROLE	Plasticizer
HAZARD TYPE LIST NAME AND	SOURCE		WARNINGS		
REP GHS - New Zeal	and		Reproductive to	cicity category 2	
ADDITIONAL LISTINGS LIST NAME AND	SOURCE		NOTIFICATION		
RESTRICTED LIST Green Science F	olicy Institute (GSPI	1)	GSPI - Six Classes of Problematic Chemicals		nicals
			Some Solvents		
SUBSTANCE NOTES:					
PHENOL, POLYMER WITH FORMALDEHYDE, GLYC	DYL ETHER				ID: 28064-14-
AZARD DATA SOURCE: Pharos Chemical and Ma	terials Library HA	AZARD SCI	REENING DATE:	2023-06-15 8:50:31	
%: 0.1500 - 0.1500 GreenScreen: BM-	1 RC	C: None	NANO: No	SUBSTANCE ROL	E: Reagent
HAZARD TYPE LIST NAME AND	SOURCE		WARNINGS		
MUL German FEA - S Waters	ubstances Hazardou	ardous to Class 2 - Hazard to Waters			

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Commercial/Industrial CERTIFICATE URL:	ISSUE DATE: 2022-04-13 EXPIRY DATE:	CERTIFIER OR LAB: Berkeley Analytical		
CERTIFICATION AND COMPLIANCE NOTES: <0.5 mg/m3	, Urethane Primer/Stonclad UR			
VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Commercial/Industrial CERTIFICATE URL:	ISSUE DATE: 2020-02-14 EXPIRY DATE:	CERTIFIER OR LAB: Berkeley Analytical		
CERTIFICATION AND COMPLIANCE NOTES: Stonseal CA7				
CERTIFICATION AND COMPLIANCE NOTES: Stonseal CA				
VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/C	HPS) - Classroom & Office scenario		
	-	HPS) - Classroom & Office scenario CERTIFIER OR LAB: Berkeley Analytical		
VOC EMISSIONS CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Commercial/Industrial	CDPH Standard Method V1.2 (Section 01350/C ISSUE DATE: 2023-03-03 EXPIRY DATE:	CERTIFIER OR LAB: Berkeley		
VOC EMISSIONS CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Commercial/Industrial CERTIFICATE URL:	CDPH Standard Method V1.2 (Section 01350/C ISSUE DATE: 2023-03-03 EXPIRY DATE:	CERTIFIER OR LAB: Berkeley Analytical		

CERTIFICATION AND COMPLIANCE NOTES:

Bection 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD was built for the entire Stontec TRF system. A breakdown of the products included is: Urethane Primer, Stonclad UR, Stonkote GS4, Stontec Broadcast and Stonseal CA7

MANUFACTURER INFORMATION

MANUFACTURER: Stonhard ADDRESS: 1000 East Park Ave Maple Shade NJ 08052, USA WEBSITE: https://www.stonhard.com CONTACT NAME: Mike Jewell TITLE: VP of Product Development PHONE: 856-779-7500 EMAIL: mjewell@stonhard.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

GreenScreen (GS)

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (due to insufficient data)

BM-3 Benchmark 3 (use but still opportunity for improvement)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.